

# BLiK CRUSHERS Monorotor "M420-530 & M420-700" SPECIALLY DESIGNED FOR COMMUNITIES and RESTAURANTS

It takes up very little space when installed on a skip

hopper for introducing all kinds of products including bags full

The "heat" of the crusher conforms to BLiK standards and can

motor and gearbox "Oversized"

Reduces waste volume (up to 9/1, depending on product)

Flat, easy to clean

Accepts all types of containers.

Cabinet can be closed to conceal skip

**T**his crusher was designed for eliminating a variety of materials and waste products which normally occur in reprocessing, trade or services.

**I**t is used for general destruction and for reducing the volume of hard, hollow objects such as bottles, plastic barrels, metal containers and cardboard boxes.

**I**f jamming occurs, it automatically goes into reverse for up to 3 times before going into standby or restarting, after getting rid of the jam.

**T**he special, highly resistant, blades can easily be disassembled and fitted onto an exclusive BLiK anti shock system.



**Tilting Hopper : introduction bags fast, effortlessly and safely**






# BLIK MONOROTOR CRUSHER "420-520" SPECIALLY DESIGNED FOR COMMUNITIES and RESTAURANTS

Blades in special steel


Shock absorber system for rejection of unbreakable objects

Electronic control: automatic reverse-start-stop overload

1 YEAR GUARANTEE



MONOROTOR CRUSHER "M420-520"	
Cutting edge in mm	420x520
Hopper opening in mm	1200 x 500
Motor in kW	7,5
Number of rotors	1
Blade width in mm	340
Blade thickness mm	24
Number of blades	12
Rotation speed in tr/mm	19
Number of hooks per blade	1
L X D X H in mm (cutting block)	1200*650*1000
Blades in easily dismantable special steel	
Shock resistant mechanism for discarding difficult objects	
Weight of machine in kg	500
Electronic control: automatic reverse-start-stop overload	
1 year guarantee	





# BLiK MONOROTOR CRUSHER "M420-700" SPECIALLY DESIGNED FOR COMMUNITIES and RESTAURANTS



MONOROTOR CRUSHER "M420-700"	
Cutting edge in mm	420x690
Hopper opening in mm	1200 x 700
Motor in kW	7,5
Number of rotors	1
Blade width in mm	340
Blade thickness mm	20
Number of blades	16
Rotation speed in tr/mm	19
Number of hooks per blade	1
L X D X H in mm (cutting block)	1685*640*450
Blades in easily dismantlable special steel	
Shock resistant mechanism for discarding difficult objects	
Weight of machine in kg	590
Electronic control: automatic reverse-start-stop overload	
1 year guarantee	

